

*Our Family Serving and
Protecting Your Family*



*Saving Lives Through
Prevention, Education and
Training*

Activity Report for 2015

The Warsaw-Wayne Fire Territory had 1,593 responses through December 18, 2015. The following is an incident type and report summary of those responses:

| Incident Type | Count | % of Incident |
|----------------------|--------------|----------------------|
|----------------------|--------------|----------------------|

| | | |
|---------------------------|-------|--------|
| FIRE | 92 | 5.77% |
| OVERPRESSURE | 25 | 1.56% |
| RESCUE & MEDICAL ASSIST | 1,051 | 65.97% |
| HAZARDOUS CONDITIONS | 102 | 6.40% |
| SERVICE CALLS | 45 | 2.82% |
| GOOD INTENT CALLS | 94 | 5.90% |
| FALSE ALARMS /FALSE CALLS | 172 | 10.79% |
| SEVERE WEATHER | 3 | 0.18% |
| SPECIAL INCIDENT TYPE | 9 | 0.56% |

TOTAL **1,593**

| Incident by Area | Count | % of Incident |
|-------------------------|--------------|----------------------|
|-------------------------|--------------|----------------------|

| | | |
|-----------------------|-------|--------|
| CITY | 1,242 | 77.97% |
| WAYNE TOWNSHIP | 310 | 19.46% |
| RESPONSES OUT OF AREA | 41 | 2.57% |

TOTAL **1,593**


| | |
|---------------------|----|
| MUTUAL AID GIVEN | 31 |
| MUTUAL AID RECEIVED | 75 |

In 2015 the department was requested to standby for 184 confined space entries for local businesses and the Wastewater Treatment Plant.

The Inspections Division inspected, plan reviewed or consulted 293 businesses in 2015.

Department members trained 4,786 hours on pump operations, general apparatus review, apparatus check procedures, SCBA donning methods, general building construction, building tour – no construction, building construction and fire behavior, supplemental skills, audit & review, emergency medical services, prehospital trauma life support, fire hose, primary search & rescue, foam operations, aerial operations, ventilation, forcible entry, incident command system, fire equipment overview, NFPA 1410 evolutions, specialty rescue equipment, trench rescue and airbags/manual lifting.

In 2015, department members provided public appearances, station tours, smoke detector installations, fire extinguisher training/ fire safety and car seat installation/checks to schools, citizens and businesses in the community. These services were provided to 1,451 adults and 3,180 children.



Michael Wilson
Fire Chief

WARSAWWAYNE

Incident Type Report (Summary)

Alarm Date Between {01-01-2015} And {12-31-2015}

| Incident Type | Count | Pct of Incidents | Total Est Loss | Pct of Losses |
|---|-----------|------------------|------------------|---------------|
| 1 Fire | | | | |
| 100 Fire, Other | 5 | 0.31% | \$1,000 | 0.11% |
| 111 Building fire | 24 | 1.50% | \$833,100 | 92.05% |
| 112 Fires in structure other than in a building | 1 | 0.06% | \$6,000 | 0.66% |
| 113 Cooking fire, confined to container | 10 | 0.62% | \$10,700 | 1.18% |
| 114 Chimney or flue fire, confined to chimney | 1 | 0.06% | \$0 | 0.00% |
| 118 Trash or rubbish fire, contained | 1 | 0.06% | \$0 | 0.00% |
| 121 Fire in mobile home used as fixed residence | 1 | 0.06% | \$0 | 0.00% |
| 130 Mobile property (vehicle) fire, Other | 2 | 0.12% | \$20,000 | 2.20% |
| 131 Passenger vehicle fire | 6 | 0.37% | \$12,000 | 1.32% |
| 138 Off-road vehicle or heavy equipment fire | 2 | 0.12% | \$1,700 | 0.18% |
| 140 Natural vegetation fire, Other | 5 | 0.31% | \$0 | 0.00% |
| 142 Brush or brush-and-grass mixture fire | 9 | 0.56% | \$0 | 0.00% |
| 143 Grass fire | 3 | 0.18% | \$0 | 0.00% |
| 150 Outside rubbish fire, Other | 2 | 0.12% | \$0 | 0.00% |
| 151 Outside rubbish, trash or waste fire | 10 | 0.62% | \$0 | 0.00% |
| 153 Construction or demolition landfill fire | 1 | 0.06% | \$0 | 0.00% |
| 154 Dumpster or other outside trash receptacle | 2 | 0.12% | \$0 | 0.00% |
| 160 Special outside fire, Other | 3 | 0.18% | \$0 | 0.00% |
| 161 Outside storage fire | 1 | 0.06% | \$10,000 | 1.10% |
| 162 Outside equipment fire | 1 | 0.06% | \$0 | 0.00% |
| 170 Cultivated vegetation, crop fire, Other | 1 | 0.06% | \$500 | 0.05% |
| 171 Cultivated grain or crop fire | 1 | 0.06% | \$0 | 0.00% |
| | 92 | 5.77% | \$895,000 | 98.89% |
| 2 Overpressure Rupture, Explosion, Overheat(no fire) | | | | |
| 212 Overpressure rupture of steam boiler | 1 | 0.06% | \$10,000 | 1.10% |
| 221 Overpressure rupture of air or gas | 1 | 0.06% | \$0 | 0.00% |
| 223 Air or gas rupture of pressure or process | 1 | 0.06% | \$0 | 0.00% |
| 251 Excessive heat, scorch burns with no | 22 | 1.38% | \$0 | 0.00% |
| | 25 | 1.56% | \$10,000 | 1.10% |
| 3 Rescue & Emergency Medical Service Incident | | | | |
| 300 Rescue, EMS incident, other | 3 | 0.18% | \$0 | 0.00% |
| 311 Medical assist, assist EMS crew | 895 | 56.18% | \$0 | 0.00% |
| 321 EMS call, excluding vehicle accident with | 1 | 0.06% | \$0 | 0.00% |
| 322 Motor vehicle accident with injuries | 72 | 4.51% | \$0 | 0.00% |
| 323 Motor vehicle/pedestrian accident (MV Ped) | 8 | 0.50% | \$0 | 0.00% |
| 324 Motor Vehicle Accident with no injuries | 53 | 3.32% | \$0 | 0.00% |
| 341 Search for person on land | 1 | 0.06% | \$0 | 0.00% |
| 350 Extrication, rescue, Other | 1 | 0.06% | \$0 | 0.00% |

WARSAWWAYNE

Incident Type Report (Summary)

Alarm Date Between {01-01-2015} And {12-31-2015}

| Incident Type | Count | Pct of Incidents | Total Est Loss | Pct of Losses |
|--|--------------|------------------|----------------|---------------|
| 3 Rescue & Emergency Medical Service Incident | | | | |
| 351 Extrication of victim(s) from | 1 | 0.06% | \$0 | 0.00% |
| 352 Extrication of victim(s) from vehicle | 14 | 0.87% | \$0 | 0.00% |
| 353 Removal of victim(s) from stalled elevator | 1 | 0.06% | \$0 | 0.00% |
| 356 High-angle rescue | 1 | 0.06% | \$0 | 0.00% |
| | 1,051 | 65.97% | \$0 | 0.00% |
| 4 Hazardous Condition (No Fire) | | | | |
| 400 Hazardous condition, Other | 2 | 0.12% | \$0 | 0.00% |
| 410 Combustible/flammable gas/liquid condition, | 2 | 0.12% | \$0 | 0.00% |
| 411 Gasoline or other flammable liquid spill | 5 | 0.31% | \$0 | 0.00% |
| 412 Gas leak (natural gas or LPG) | 26 | 1.63% | \$0 | 0.00% |
| 413 Oil or other combustible liquid spill | 6 | 0.37% | \$0 | 0.00% |
| 421 Chemical hazard (no spill or leak) | 1 | 0.06% | \$0 | 0.00% |
| 422 Chemical spill or leak | 1 | 0.06% | \$0 | 0.00% |
| 423 Refrigeration leak | 1 | 0.06% | \$0 | 0.00% |
| 424 Carbon monoxide incident | 5 | 0.31% | \$0 | 0.00% |
| 440 Electrical wiring/equipment problem, Other | 6 | 0.37% | \$0 | 0.00% |
| 442 Overheated motor | 1 | 0.06% | \$0 | 0.00% |
| 444 Power line down | 1 | 0.06% | \$0 | 0.00% |
| 445 Arcing, shorted electrical equipment | 4 | 0.25% | \$0 | 0.00% |
| 460 Accident, potential accident, Other | 7 | 0.43% | \$0 | 0.00% |
| 461 Building or structure weakened or collapsed | 1 | 0.06% | \$0 | 0.00% |
| 463 Vehicle accident, general cleanup | 33 | 2.07% | \$0 | 0.00% |
| | 102 | 6.40% | \$0 | 0.00% |
| 5 Service Call | | | | |
| 500 Service Call, other | 11 | 0.69% | \$0 | 0.00% |
| 511 Lock-out | 1 | 0.06% | \$0 | 0.00% |
| 531 Smoke or odor removal | 6 | 0.37% | \$0 | 0.00% |
| 550 Public service assistance, Other | 1 | 0.06% | \$0 | 0.00% |
| 551 Assist police or other governmental agency | 10 | 0.62% | \$0 | 0.00% |
| 552 Police matter | 1 | 0.06% | \$0 | 0.00% |
| 553 Public service | 1 | 0.06% | \$0 | 0.00% |
| 5531 Knox Box | 8 | 0.50% | \$0 | 0.00% |
| 561 Unauthorized burning | 5 | 0.31% | \$0 | 0.00% |
| 571 Cover assignment, standby, moveup | 1 | 0.06% | \$0 | 0.00% |
| | 45 | 2.82% | \$0 | 0.00% |
| 6 Good Intent Call | | | | |

WARSAWAYNE

Incident Type Report (Summary)

Alarm Date Between {01-01-2015} And {12-31-2015}

| Incident Type | Count | Pct of Incidents | Total Est Loss | Pct of Losses |
|---|------------|------------------|----------------|---------------|
| 6 Good Intent Call | | | | |
| 600 Good intent call, Other | 7 | 0.43% | \$0 | 0.00% |
| 611 Dispatched & cancelled en route | 64 | 4.01% | \$0 | 0.00% |
| 622 No Incident found on arrival at dispatch | 12 | 0.75% | \$0 | 0.00% |
| 631 Authorized controlled burning | 2 | 0.12% | \$0 | 0.00% |
| 650 Steam, Other gas mistaken for smoke, Other | 1 | 0.06% | \$0 | 0.00% |
| 651 Smoke scare, odor of smoke | 5 | 0.31% | \$0 | 0.00% |
| 652 Steam, vapor, fog or dust thought to be | 3 | 0.18% | \$0 | 0.00% |
| | 94 | 5.90% | \$0 | 0.00% |
| 7 False Alarm & False Call | | | | |
| 700 False alarm or false call, Other | 38 | 2.38% | \$0 | 0.00% |
| 710 Malicious, mischievous false call, Other | 3 | 0.18% | \$0 | 0.00% |
| 714 Central station, malicious false alarm | 2 | 0.12% | \$0 | 0.00% |
| 715 Local alarm system, malicious false alarm | 4 | 0.25% | \$0 | 0.00% |
| 721 Bomb scare - no bomb | 2 | 0.12% | \$0 | 0.00% |
| 730 System malfunction, Other | 4 | 0.25% | \$0 | 0.00% |
| 731 Sprinkler activation due to malfunction | 6 | 0.37% | \$0 | 0.00% |
| 732 Extinguishing system activation due to | 1 | 0.06% | \$0 | 0.00% |
| 733 Smoke detector activation due to | 21 | 1.31% | \$0 | 0.00% |
| 734 Heat detector activation due to malfunction | 1 | 0.06% | \$0 | 0.00% |
| 735 Alarm system sounded due to malfunction | 11 | 0.69% | \$0 | 0.00% |
| 736 CO detector activation due to malfunction | 7 | 0.43% | \$0 | 0.00% |
| 740 Unintentional transmission of alarm, Other | 6 | 0.37% | \$0 | 0.00% |
| 741 Sprinkler activation, no fire - | 2 | 0.12% | \$0 | 0.00% |
| 743 Smoke detector activation, no fire - | 21 | 1.31% | \$0 | 0.00% |
| 744 Detector activation, no fire - | 8 | 0.50% | \$0 | 0.00% |
| 745 Alarm system activation, no fire - | 32 | 2.00% | \$0 | 0.00% |
| 746 Carbon monoxide detector activation, no CO | 3 | 0.18% | \$0 | 0.00% |
| | 172 | 10.79% | \$0 | 0.00% |
| 8 Severe Weather & Natural Disaster | | | | |
| 814 Lightning strike (no fire) | 3 | 0.18% | \$0 | 0.00% |
| | 3 | 0.18% | \$0 | 0.00% |
| 9 Special Incident Type | | | | |
| 900 Special type of incident, Other | 2 | 0.12% | \$0 | 0.00% |
| 911 Citizen complaint | 7 | 0.43% | \$0 | 0.00% |

WARSAWAYNE

Incident Type Report (Summary)

Alarm Date Between {01-01-2015} And {12-31-2015}

| Incident Type | Count | Pct of Incidents | Total Est Loss | Pct of Losses |
|-------------------------|-------|------------------|----------------|---------------|
| 9 Special Incident Type | 9 | 0.56% | \$0 | 0.00% |

Total Incident Count: 1593

Total Est Loss: \$905,000

WARSAWWAYNE

Aid Responses by Department (Summary)

Alarm Date Between {01-01-2015} And {12-31-2015}

| <u>Type of Aid</u> | <u>Count</u> | <u>Type of Aid</u> | <u>Count</u> |
|--|--------------|---|--------------|
| 20006 Elkhart Fire Department | | 43014 Winona Lake Fire Department | |
| Mutual aid received | 1 | Mutual aid received | 31 |
| | <hr/> | Automatic aid received | 1 |
| | 1 | Mutual aid given | 5 |
| | | | <hr/> |
| | | | 37 |
| 43001 Atwood Fire Department | | | |
| Mutual aid received | 2 | | |
| Mutual aid given | 3 | 50002 Bourbon Fire Department | |
| | <hr/> | Mutual aid given | 1 |
| | 5 | | <hr/> |
| | | | 1 |
| | | | |
| 43002 Seward Township / Burket | | | |
| Mutual aid received | 2 | CLAY Clay Fire Territory | |
| | <hr/> | Mutual aid received | 1 |
| | 2 | | <hr/> |
| | | | 1 |
| | | | |
| 43003 Claypool / Clay Twsp. | | | |
| Mutual aid received | 4 | EMA Kosciusko Co. Emergency Managment Agency | |
| Mutual aid given | 7 | Mutual aid received | 2 |
| | <hr/> | | <hr/> |
| | 11 | | 2 |
| | | | |
| | | | |
| 43005 Mentone Fire Department | | EMS-1 Multi-township Emergency Medical Svc. | |
| Mutual aid received | 1 | Mutual aid received | 1 |
| | <hr/> | | <hr/> |
| | 1 | | 1 |
| | | | |
| | | | |
| 43006 Leesburg Fire Department | | ENGINEER City of Warsaw Engineering Dept. | |
| Mutual aid received | 4 | Mutual aid received | 1 |
| Mutual aid given | 9 | | <hr/> |
| Automatic aid given | 1 | | 1 |
| | <hr/> | | |
| | 14 | IAW Indiana American Water | |
| | | Mutual aid received | 1 |
| | | | <hr/> |
| | | | 1 |
| | | | |
| 43007 North Webster Fire Department | | | |
| Mutual aid received | 1 | IDEM Indiana Dept Environmental Management | |
| | <hr/> | Mutual aid received | 1 |
| | | | <hr/> |
| | | | 1 |
| | | | |
| 43008 Pierceton Fire Department | | | |
| Mutual aid received | 3 | | |
| Mutual aid given | 3 | IDHS Indiana Dept. of Homeland Security | |
| | <hr/> | Mutual aid received | 1 |
| | | | <hr/> |
| | | | 1 |
| | | | |
| 43014 Winona Lake Fire Department | | | |

WARSAWAYNE

Aid Responses by Department (Summary)

Alarm Date Between {01-01-2015} And {12-31-2015}

| Type of Aid | Count | Type of Aid | Count |
|---|--------------|--|--------------|
| IDHS HAZMT IDHS Haz-mat Mutual aid received | 1 | STORM City of Warsaw Storm Water Mutual aid received | 2 |
| | <u>1</u> | | <u>2</u> |
| IDNR Indiana Department of Natural Resources Mutual aid received | 1 | STREET City of Warsaw Street Department Mutual aid received | 1 |
| | <u>1</u> | | <u>1</u> |
| ISP Indiana State Police Mutual aid received | 1 | WPD Warsaw Police Department Mutual aid received | 4 |
| | <u>1</u> | Mutual aid given | 1 |
| | | | <u>5</u> |
| KCH Kosciusko Community Hospital Mutual aid received | 1 | WWTP City of Warsaw Waste Water Mutual aid received | 1 |
| | <u>1</u> | | <u>1</u> |
| MABAS MABAS 201 TRT Mutual aid given | 1 | | |
| | <u>1</u> | | |
| NIPSCO NIPSCO Gas & Electric Mutual aid received | 2 | | |
| | <u>2</u> | | |
| PLANNING City of Warsaw Planning Dept Mutual aid received | 1 | | |
| | <u>1</u> | | |
| RED Red Cross Mutual aid received | 1 | | |
| | <u>1</u> | | |
| SFM Indiana State Fire Marshal Office Mutual aid received | 1 | | |
| | <u>1</u> | | |
| STORM City of Warsaw Storm Water | | | |