

WARSAWWAYNE

Incident Type Report (Summary)

Alarm Date Between {04-01-2016} And {04-30-2016}

Incident Type	Count	Pct of Incidents	Total Est Loss	Pct of Losses
1 Fire				
111 Building fire	1	0.55%	\$11,000	39.28%
113 Cooking fire, confined to container	2	1.11%	\$0	0.00%
131 Passenger vehicle fire	1	0.55%	\$0	0.00%
138 Off-road vehicle or heavy equipment fire	1	0.55%	\$17,000	60.71%
140 Natural vegetation fire, Other	1	0.55%	\$0	0.00%
141 Forest, woods or wildland fire	1	0.55%	\$0	0.00%
143 Grass fire	1	0.55%	\$0	0.00%
150 Outside rubbish fire, Other	2	1.11%	\$0	0.00%
151 Outside rubbish, trash or waste fire	1	0.55%	\$0	0.00%
154 Dumpster or other outside trash receptacle	1	0.55%	\$0	0.00%
171 Cultivated grain or crop fire	1	0.55%	\$0	0.00%
	13	7.22%	\$28,000	100.00%
2 Overpressure Rupture, Explosion, Overheat(no fire)				
251 Excessive heat, scorch burns with no	1	0.55%	\$0	0.00%
	1	0.55%	\$0	0.00%
3 Rescue & Emergency Medical Service Incident				
311 Medical assist, assist EMS crew	113	62.77%	\$0	0.00%
322 Motor vehicle accident with injuries	6	3.33%	\$0	0.00%
323 Motor vehicle/pedestrian accident (MV Ped)	2	1.11%	\$0	0.00%
324 Motor Vehicle Accident with no injuries	5	2.77%	\$0	0.00%
353 Removal of victim(s) from stalled elevator	1	0.55%	\$0	0.00%
363 Swift water rescue	1	0.55%	\$0	0.00%
	128	71.11%	\$0	0.00%
4 Hazardous Condition (No Fire)				
412 Gas leak (natural gas or LPG)	3	1.66%	\$0	0.00%
424 Carbon monoxide incident	2	1.11%	\$0	0.00%
441 Heat from short circuit (wiring),	1	0.55%	\$0	0.00%
444 Power line down	2	1.11%	\$0	0.00%
445 Arcing, shorted electrical equipment	1	0.55%	\$0	0.00%
463 Vehicle accident, general cleanup	3	1.66%	\$0	0.00%
	12	6.66%	\$0	0.00%
5 Service Call				
500 Service Call, other	1	0.55%	\$0	0.00%

WARSAWAYNE

Incident Type Report (Summary)

Alarm Date Between {04-01-2016} And {04-30-2016}

Incident Type	Count	Pct of Incidents	Total Est Loss	Pct of Losses
5 Service Call				
553 Public service	1	0.55%	\$0	0.00%
5531 Knox Box	1	0.55%	\$0	0.00%
561 Unauthorized burning	1	0.55%	\$0	0.00%
	4	2.22%	\$0	0.00%
6 Good Intent Call				
600 Good intent call, Other	1	0.55%	\$0	0.00%
611 Dispatched & cancelled en route	7	3.88%	\$0	0.00%
631 Authorized controlled burning	1	0.55%	\$0	0.00%
	9	5.00%	\$0	0.00%
7 False Alarm & False Call				
700 False alarm or false call, Other	4	2.22%	\$0	0.00%
730 System malfunction, Other	1	0.55%	\$0	0.00%
733 Smoke detector activation due to	4	2.22%	\$0	0.00%
734 Heat detector activation due to malfunction	2	1.11%	\$0	0.00%
744 Detector activation, no fire -	1	0.55%	\$0	0.00%
745 Alarm system activation, no fire -	1	0.55%	\$0	0.00%
	13	7.22%	\$0	0.00%

Total Incident Count: 180

Total Est Loss:

\$28,000