

WARSAWWAYNE

Incident Type Report (Summary)

Alarm Date Between {07-01-2016} And {07-31-2016}

| Incident Type   | Count      | Pct of Incidents | Total Est Loss  | Pct of Losses |
|---|------------|------------------|-----------------|---------------|
| <b>1 Fire</b>   |            |                  |                 |               |
| 111 Building fire   | 3          | 1.55%            | \$22,050        | 44.41%        |
| 131 Passenger vehicle fire                                  | 2          | 1.03%            | \$300           | 0.60%         |
| 137 Camper or recreational vehicle (RV) fire                | 1          | 0.51%            | \$26,000        | 52.36%        |
| 142 Brush or brush-and-grass mixture fire                   | 2          | 1.03%            | \$0             | 0.00%         |
| 153 Construction or demolition landfill fire                | 1          | 0.51%            | \$0             | 0.00%         |
| 162 Outside equipment fire                                  | 2          | 1.03%            | \$1,250         | 2.51%         |
|   | <b>11</b>  | <b>5.69%</b>     | <b>\$49,600</b> | <b>99.89%</b> |
| <b>2 Overpressure Rupture, Explosion, Overheat(no fire)</b> |            |                  |                 |               |
| 251 Excessive heat, scorch burns with no                    | 2          | 1.03%            | \$0             | 0.00%         |
|   | <b>2</b>   | <b>1.03%</b>     | <b>\$0</b>      | <b>0.00%</b>  |
| <b>3 Rescue &amp; Emergency Medical Service Incident</b>    |            |                  |                 |               |
| 311 Medical assist, assist EMS crew                         | 128        | 66.32%           | \$0             | 0.00%         |
| 322 Motor vehicle accident with injuries                    | 13         | 6.73%            | \$0             | 0.00%         |
| 323 Motor vehicle/pedestrian accident (MV Ped)              | 1          | 0.51%            | \$0             | 0.00%         |
| 353 Removal of victim(s) from stalled elevator              | 1          | 0.51%            | \$0             | 0.00%         |
| 361 Swimming/recreational water areas rescue                | 1          | 0.51%            | \$0             | 0.00%         |
|   | <b>144</b> | <b>74.61%</b>    | <b>\$0</b>      | <b>0.00%</b>  |
| <b>4 Hazardous Condition (No Fire)</b>                      |            |                  |                 |               |
| 424 Carbon monoxide incident                                | 1          | 0.51%            | \$0             | 0.00%         |
| 442 Overheated motor  | 1          | 0.51%            | \$50            | 0.10%         |
| 444 Power line down   | 1          | 0.51%            | \$0             | 0.00%         |
| 445 Arcing, shorted electrical equipment                    | 1          | 0.51%            | \$0             | 0.00%         |
| 463 Vehicle accident, general cleanup                       | 7          | 3.62%            | \$0             | 0.00%         |
|   | <b>11</b>  | <b>5.69%</b>     | <b>\$50</b>     | <b>0.10%</b>  |
| <b>5 Service Call</b>                                       |            |                  |                 |               |
| 510 Person in distress, Other                               | 1          | 0.51%            | \$0             | 0.00%         |
| 550 Public service assistance, Other                        | 1          | 0.51%            | \$0             | 0.00%         |
| 551 Assist police or other governmental agency              | 1          | 0.51%            | \$0             | 0.00%         |
| 553 Public service  | 1          | 0.51%            | \$0             | 0.00%         |
|   | <b>4</b>   | <b>2.07%</b>     | <b>\$0</b>      | <b>0.00%</b>  |
| <b>6 Good Intent Call</b>                                   |            |                  |                 |               |
| 611 Dispatched & cancelled en route                         | 9          | 4.66%            | \$0             | 0.00%         |
| 622 No Incident found on arrival at dispatch                | 1          | 0.51%            | \$0             | 0.00%         |

**WARSAWAYNE**

**Incident Type Report (Summary)**

**Alarm Date Between {07-01-2016} And {07-31-2016}**

| <b>Incident Type</b>                          | <b>Count</b> | <b>Pct of Incidents</b> | <b>Total Est Loss</b> | <b>Pct of Losses</b> |
|---|--------------|-------------------------|-----------------------|----------------------|
| <b>6 Good Intent Call</b>                     | <b>10</b>    | <b>5.18%</b>            | <b>\$0</b>            | <b>0.00%</b>         |
| <b>7 False Alarm &amp; False Call</b>         |              |                         |                       |                      |
| 700 False alarm or false call, Other          | 2            | 1.03%                   | \$0                   | 0.00%                |
| 733 Smoke detector activation due to          | 2            | 1.03%                   | \$0                   | 0.00%                |
| 735 Alarm system sounded due to malfunction   | 2            | 1.03%                   | \$0                   | 0.00%                |
| 736 CO detector activation due to malfunction | 2            | 1.03%                   | \$0                   | 0.00%                |
| 743 Smoke detector activation, no fire -      | 2            | 1.03%                   | \$0                   | 0.00%                |
| 745 Alarm system activation, no fire -        | 1            | 0.51%                   | \$0                   | 0.00%                |
|   | <b>11</b>    | <b>5.69%</b>            | <b>\$0</b>            | <b>0.00%</b>         |

**Total Incident Count: 193**

**Total Est Loss:**

**\$49,650**